

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	1381	data adj0 request identifier \$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:44
S5	0	data adj0 request identifier \$2 @ad<"19990901" domain adj0 name adj0 system browser hyperlink interface service adj0 provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:47
S6	4	data adj0 request identifier \$2 @ad<"19990901" domain adj0 name adj0 system browser interface service adj0 provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:48
S7	16	data adj0 request identifier \$2 @ad<"19990901" domain adj0 name browser interface service adj0 provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:51
S8	227	data request identifier\$2 @ad<"19990901" domain adj0 name browser interface service adj0 provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:55
S9	39	data request identifier\$2 @ad<"19990901" domain adj0 name browser interface service adj0 provider search adj0 engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:56
S10	13	data request identifier\$2 @ad<"19990901" domain adj0 name browser interface service adj0 provider search adj0 engine prefix register\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 16:03

S11	2	data adj0 request identifier \$2 @ad<"19990901" domain adj0 name browser interface service adj0 provider search adj0 engine prefix register\$3 configured	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 16:08
S12	206	data adj0 request browser type identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:23
S13	114	data request adj0 type browser identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:26
S14	119	data request adj0 type\$2 browser identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:27
S15	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name registration keyword prefix adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:37
S16	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name registration keyword command adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:37
S17	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name registration keyword resolution adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:38
S18	3	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword resolution adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:38

S19	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword prefix adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:38
S20	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword command adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:38
S21	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword suffix adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:38
S22	3	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:52
S23	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword URI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:53
S24	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain keyword URI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:53
S25	119	data request adj0 type\$2 browser identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 10:38
S26	110	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" generat \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 10:39

S27	58	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" generat \$3 provide\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 11:10
S30	9	data adj0 request identifier \$2 @ad<"19990901" URI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:28
S31	29	data request adj0 type identifier\$2 @ad<"19990901" URI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:32
S32	29	data request adj0 type identifier\$2 @ad<"19990901" URI generat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:36
S33	25	data request adj0 type identifier\$2 @ad<"19990901" URI generat\$3 with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:37
S34	25	data request adj0 type identifier\$2 @ad<"19990901" URI generat\$3 with request perform\$3 with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:37
S35	21	data request adj0 type identifier\$2 @ad<"19990901" URI generat\$3 with request perform\$3 with request registr\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:38
S36	21	data request adj0 type identifier\$2 @ad<"19990901" URI generat\$3 with request perform\$3 with request registr\$7 result\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:38

S39	74	data adj0 request identifier \$2 @ad<"19990901" 709/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/19 13:52
S40	115	second with data adj0 request identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:00
S41	7	second with data adj0 request without with identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:00
S42	72	data adj0 request content with associated identifier \$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:03
S43	0	data adj0 request content with associated unidentifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:10
S44	0	data adj0 request content with associated un- identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:11
S45	0	data adj0 request un- identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:11
S46	0	data adj0 request un- identifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:11

S47	21	data adj0 request unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:11
S48	1	data adj0 request content with associat\$4 unidentifi \$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:11
S49	5	data adj0 request content with associat\$4 unidentifi \$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:11
S50	6	second with request content with associat\$4 unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:13
S51	0	second with request content with associat\$4 request with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:14
S52	0	request content with associat\$4 request with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:14
S53	0	request content with associat\$4 "not" with identifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:14
S54	349	request content with associat\$4 "without" with identifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:15

S55	29	request content with associat\$4 "without" adj5 identifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:15
S56	1	DNS request content with associat\$4 "without" adj5 identifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:16
S57	0	DNS request content with associat\$4 with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:00
S58	0	DNS request metadata with associat\$4 with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:00
S59	0	DNS request meta with associat\$4 with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:00
S60	0	DNS request meta with associated with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:01
S61	1	DNS request data with associat\$4 with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:01
S62	8	request data with associat \$4 with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:03

S63	11	request data with associat\$4 with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:42
S64	16	request\$2 data with associat\$4 with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:42
S65	28	data with associat\$4 with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:44
S66	4	data with similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:46
S67	6	object with similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:50
S68	1	request\$2 object with similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:51
S69	24	request\$2 object similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:52
S70	0	inquiry object similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:56



S71	12	query object similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:56
S72	21	query similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:56
S73	41	query data with unidentifi \$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:59
S74	2	query content with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 11:04
S75	13	query document with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 11:05
S76	0	query document with unidentifi\$4 @ad<"19990901" 709/218.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 11:15

4/ 1/ 2009 3:18:34 PM

C:\ Documents and Settings\ ovostal\ My Documents\ EAST\ Workspaces\ 10710362.wsp